



RSV Tracker: Wave 3

December 1, 2022

Methodology

METHOD	1-minute survey via InCrowd Platform
CROWDS	US Emergency Room and Critical Care Physicians
SCREENING CRITERIA	Must be in clinical practice for emergency and critical care medicine

Objectives

Research purpose:

Due to the surge in US respiratory syncytial virus (RSV) cases among children and adults as reported in the news, InCrowd was interested in learning more from Emergency Room physicians to understand the following:

- Growth in RSV cases over time
- Severity-level changes over time


	Wave 1	Wave 2	Wave 3
Fielding Date	Oct 24, 2022	Nov 7, 2022	Nov 21, 2022
Fielding Time	4 hours	1.5 hours	4 hours
Sample Size	103	100	100

Executive Summary

RSV cases seem to be leveling off, though they are still more severe than in previous years.

- ✓ Ninety-three percent of respondents treated patients for RSV over the prior two weeks.
- ✓ On average they treated about 20 patients for RSV, up only slightly from 18 in wave 2.
- ✓ Down from previous waves only 29% report seeing a strong increase in RSV cases in previous two weeks.
- ✓ Almost two-thirds say cases are more severe than in past years.

RSV cases are still on the rise, though not as quickly as in the past wave. In wave 3, the percent of RSV treaters only rose by 3 percentage points, a smaller increase than in wave 2. Additionally, average cases went from 18 to 20 between waves 2 and 3.




Among Treaters	Wave 1: 10/24 n=83	Wave 2: 11/7 n=90	Wave 3: 11/21 n=93
Average # of RSV cases treated in past 2 weeks	11	18	20

How many case of RSV have you treated in the past 2 weeks?

W1 n=103
W2 n=100
W3 n=100

Only 29% of respondents report a strong increase in RSV case numbers over the previous two weeks as opposed to 44% in the two weeks prior.




How would you describe the change in the number of RSV cases at your hospital over the past two weeks?

W1 n=103
W2 n=100
W3 n=100

Almost two-thirds of respondents in wave 3 report that RSV cases are more severe this year than in previous years, a slight increase from wave 2.

% of Respondents Reporting on Severity Change YOY



Compared to the RSV patients you've treated in prior years how would you describe the change in typical patient severity level year over year?

W1 n=103
W2 n=100
W3 n=100



For more information, please contact:

Molly Simpson

InCrowd, Director of Marketing

Molly.simpson@incrowdnow.com

www.incrowdnow.com